

# Quest 165 and 225 Dual

High-Efficiency Dehumidifiers



1.877.420.1330  
www.QuestClimate.com



PATENTS:  
D570,988  
8,069,681



### Specifications @ 80°F and 60% RH:

Unit:	4037410 165 Dual	4035400 225 Dual
<b>Blower:</b> (Tested with duct collars on)	391 CFM @ 0.0" WG 363 CFM @ 0.2" WG 337 CFM @ 0.4" WG	526 CFM @ 0.0" WG 495 CFM @ 0.2" WG 458 CFM @ 0.4" WG
<b>Power (Watts):</b>	980	1500
<b>Supply voltage:</b>	220-240 VAC - 1 Phase - 60 Hz.	220-240 VAC - 1 Phase - 60 Hz.
<b>Current Draw (Amps):</b>	3.5	6.9
<b>Energy Factor:</b>	3.7 L/kWh	2.9 L/kWh
<b>Operating Temp:</b>	56°F - 95°F	56°F - 95°F
<b>Water Removal (Pints/Day):</b>	155	225
<b>Efficiency (Pints/kWh):</b>	7.8	6.1
<b>Air Filter (MERV-11 Nominal):</b>	Size: 16" x 20" x 2"	Size: 16" x 20" x 2"
<b>Power Cord:</b>	10' 14/3 SJTW w/6-15P Plug 	10' 14/3 SJTW w/6-15P Plug 
<b>Drain Connection:</b>	3/4" Threaded NPT	3/4" Threaded NPT
<b>Refrigerant Type:</b>	R410A	R410A
<b>Refrigerant Amount:</b>	2lb. 0oz.	2lb. 0oz.
<b>Dimensions:</b>	Unit      Shipping	Unit      Shipping
Width:	20.25"    25"	20.25"    25"
Height:	21.75"    29"	21.75"    29"
Length:	37.88"    42"	37.88"    42"
Weight:	140 lbs    160 lbs	160 lbs    180 lbs

\*Optional Accessories can be found on website or manual